



ATLAS VETERINAIRE
Laboratoire pharmaceutique vétérinaire

TRICLAMEC

ORAL SUSPENSION

COMPOSITION

Ivermectin.....	0,10 g
Triclabendazole.....	5,00 g
Excipient q.s.p.....	100 ml

PHARMACEUTICAL PROPERTIES

Ivermectin, an antiparasitic of the family of avermectins endowed with a great activity as well on the internal parasites as external of the domestic animals. Ivermectin acts on nematodes and arthropods via gamma amino-butyric acid (GABA). It causes its release from the presynaptic membrane and potentiates its binding to receptors located on the postsynaptic membrane. At the recommended doses, ivermectin is very well tolerated in both adults and young people and can be used at all stages of gestation.

Triclabendazole, an anthelmintic from the benzimidazole family, is very active on the fluke at all stages of development. From a pharmacological point of view, triclabendazole is rapidly metabolized in the body to triclabendazole sulfoxide, responsible for the anthelmintic activity of this product. The two products, ivermectin and triclabendazole, are characterized by a comparable and relatively long persistence in the body

TARGET SPECIES

Sheep

INDICATIONS

Treatment of gastrointestinal and pulmonary nematodes of estrosis and fluke in sheep.

ADMINISTRATION AND DOSAGE

TRICLAMEC is recommended as a single oral dose in the dosage of 2.0 ml suspension / 10 kg bodyweight, corresponding to 0.20 mg ivermectin and 10 mg triclabendazole per kilogram bodyweight.



ATLAS VETERINAIRE
Laboratoire pharmaceutique vétérinaire

CONTRAINDICATIONS AND INTERACTIONS

TRICLAMEC is prohibited in dairy females whose milk or its derivatives are intended for human consumption and in dairy females 28 days before parturition.

SIDE EFFECTS

If the general conditions of use are respected, no side effects are observed.

PRECAUTIONS FOR USE

- Avoid contamination of water points
- Destroy the bottle after use. - Shake well before use.
- Keep the product out of the reach of children.

WITHDRAWAL PERIOD

Meat and offal: 28 days.

STORAGE CONDITIONS

Keep the product in the original packaging, protect from light and at a temperature ≤ 25 ° C.

PRESENTATIONS

Bottles of 100 ml, 250 ml, 500 ml, 1 liter.